



# PASSENGER ENTRANCES & REPLACEMENT PANELS



THE PEELLE COMPANY  
34 E. Main Street, #372, Smithtown, NY 11787

THE PEELLE COMPANY LTD  
195 Sandalwood Parkway West, Brampton, ON L7A 1J6

1 800 787 5020  
1 905 846 4545  
SALES@PEELLEDOR.COM  
PEELLEDOR.COM

AUGUST 2025

# Complete Entrance Quote Request



## CUSTOMER DATA:

Company: \_\_\_\_\_

Address: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: \_\_\_\_\_

Quote Needed By: \_\_\_\_\_ Estimated Ship Date: \_\_\_\_\_

Original Manufacturer: \_\_\_\_\_

## CUSTOMER DATA:

Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Elevator #: \_\_\_\_\_ Building: \_\_\_\_\_

Floors: \_\_\_\_\_

E-mail: \_\_\_\_\_

### DOOR TYPE - (1 1/4 in Thick Panels)

☐ SINGLE SPEED CENTER OPENING - 1CO

☐ TWO SPEED CENTER OPENING - 2CO

☐ SINGLE SPEED SIDE OPENING - 1SO

☐ TWO SPEED SIDE OPENING - 2SO

☐ THREE SPEED SIDE OPENING - 3SO

### QUANTITY

LANDING DOORS \_\_\_\_\_

CAR DOORS \_\_\_\_\_

### TRAVEL


TOTAL TRAVEL \_\_\_\_\_

### HANDING

☐ Left

☐ Right

☐ Center



### OPENING WIDTH

☐ 36 in ☐ 54 in

☐ 42 in ☐ 60 in

☐ 48 in ☐ OTHER \_\_\_\_\_

### OPENING HEIGHT

☐ 84 in ☐ OTHER \_\_\_\_\_

☐ 96 in \_\_\_\_\_

☐ 108 in \_\_\_\_\_

### OPERATOR TYPE

☐ GAL Standard

☐ Other ( \_\_\_\_\_ )

### SILL CONSTRUCTION

☐ PSD STANDARD GROUTLESS

☐ PSD GROUTLESS WITH GUSSETS

☐ PSD GROUTLESS WITH ANGLE

☐ ANGLE BY OTHERS / POCKET 3in - 6in

☐ ANGLE BY OTHERS POCKET 3in MAX

### SILL CONSTRUCTION

☐ EXTRUDED ALUMINUM

☐ NICKEL SILVER

☐ STAINLESS STEEL

☐ BRONZE

### HOISTWAY WALL

THICKNESS \_\_\_\_\_ in

☐ MASONRY (BLOCK)

☐ DRYWALL

### ENTRANCE FINISH

☐ PRIME PAINTED GREY MATTE (RAL 7044)

☐ PAINTED (RAL \_\_\_\_\_)

☐ STAINLESS, 304 #4 (SATIN)

☐ STAINLESS, 316 #4 (SATIN)

☐ STAINLESS, 5WL RIGIDIZED (RIMEX)

☐ STAINLESS, BLACKENED

☐ STAINLESS, 304 #8 MIRROR

☐ BRONZE MUNTZ, #8 MIRROR

☐ BRONZE MUNTZ, #4

☐ BRONZE MUNTZ, LIGHT OXIDIZE

☐ BRONZE MUNTZ, DARK OXIDIZE

☐ GALVANIZED

☐ VORTEX, NON DIRECTIONAL


### UNLOCKING KEY HOLE

☐ STD ESCUTCHEON

☐ NONE

### KEYHOLE LOCATION

LOOKING FROM HALLWAY



ONLY REQUIRED FOR  
CENTER OPENING DOORS

### STANDARD CONSTRUCTION SPECIFICATIONS

- 1) Passenger Entrances are 1-1/2 hour fire rated UL labeled
- 2) Door Panels: 16 Gauge Face Sheet, 16 gauge Back Sheet
- 3) Two Door Guides and one 14 gauge safety retainer per panel
- 4) Standard GAL equipment mounting provisions are included
- 5) Frames: 16 Gauge Sheet with a 2" square profile (bolted, welded, or welded and mitred)
- 6) Fascia: 16 Gauge Sheet with maximum 12 ft floor height maximum (blind fascia for skipped or bypassed floors are non- standard)
- 7) Standard Header and Strut Design: 12 Gauge including Hoistway Material (header, struts, etc.)
- 8) Sill Construction: Aluminum (standard), Nickel Silver, Stainless Steel or Bronze are optional

# Replacement Panels Quote Request



Company: \_\_\_\_\_

Delivery Date: \_\_\_\_\_

Address: \_\_\_\_\_

Delivery Address: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Email: \_\_\_\_\_

Attention: \_\_\_\_\_

Phone: \_\_\_\_\_

P.O.#: \_\_\_\_\_

Job Name / Address: \_\_\_\_\_

Job City / State: \_\_\_\_\_

Signature: \_\_\_\_\_

## QUANTITY

(\_\_\_\_) Sets of Landing Doors

(\_\_\_\_) Sets of Car Doors

## APPROVAL DRAWING REQUIRED?

☐ Yes

☐ No

## DOOR TYPE - (1 1/4 in Thick Panels)

☐ SINGLE SPEED CENTER OPENING - 1CO

☐ TWO SPEED CENTER OPENING - 2CO

☐ SINGLE SPEED SIDE OPENING - 1SO

☐ TWO SPEED SIDE OPENING - 2SO


☐ THREE SPEED SIDE OPENING - 3SO

## HANDING

☐ Left

☐ Right

☐ Center



## DOOR FINISH

☐ PRIME PAINTED GREY MATTE (RAL 7044)

☐ PAINTED (RAL \_\_\_\_\_)

☐ STAINLESS, 304 #4 (SATIN)

☐ STAINLESS, 316 #4 (SATIN)

☐ STAINLESS, 5WL RIGIDIZED (RIMEX)

☐ STAINLESS, BLACKENED

☐ STAINLESS, 304 #8 MIRROR

☐ BRONZE MUNTZ, #8 MIRROR

☐ BRONZE MUNTZ, #4

☐ BRONZE MUNTZ, LIGHT OXIDIZE

☐ BRONZE MUNTZ, DARK OXIDIZE

☐ GALVANIZED

☐ VORTEX, NON DIRECTIONAL

## OPENING WIDTH

☐ 36 in

☐ 42 in

☐ 48 in

☐ 54 in

☐ 60 in

## OPENING HEIGHT

☐ 84 in

☐ 96 in

☐ 108 in

## PANEL THICKNESS

☐ 1 1/4 in (STD)

☐ 1 1/2 in

☐ 2 3/4 in

☐ 1 in (CAR ONLY)

## OPERATOR TYPE

☐ GAL Standard

☐ Other (\_\_\_\_\_)


## UNLOCKING KEY HOLE

☐ STD ESCUTCHEON

☐ NONE

## KEYHOLE LOCATION

LOOKING FROM HALLWAY



ONLY REQUIRED FOR  
CENTER OPENING DOORS

## Door Panel Kit Includes:

Nylon Gibs, Safety Retainer,  
Sight Guard, Escutcheon &  
Neoprene Astragal for Center  
Opening Doors

1 1/2 HR UL Labels (landing  
doors only) where allowed

## Material Not Included:

Access Switch, Braille Plates,  
Painted/Applied Floor  
Designations

## Panel Construction:

16 GA front sheet & back sheet  
Reinforced Panel drilled per  
operator template

-----OR-----

\_\_\_\_\_ in  
Opening Width

\_\_\_\_\_ in  
Opening Height

\_\_\_\_\_ in  
Panel Width


\_\_\_\_\_ in  
Panel Height

## Painted Steel

|                                         |                                     |                           |                                          |                                              |                                         |                         |                                          |                                 |                           |                          |
|-----------------------------------------|-------------------------------------|---------------------------|------------------------------------------|----------------------------------------------|-----------------------------------------|-------------------------|------------------------------------------|---------------------------------|---------------------------|--------------------------|
| RAL 1014<br>IVORY                       | RAL 1015<br>LIGHT IVORY             | RAL 1018<br>ZINC YELLOW   | RAL 1019 ***<br>GREY BEIGE<br>SEMI GLOSS | RAL 1023 ***<br>TRAFFIC YELLOW<br>HIGH GLOSS | RAL 3000 ***<br>FLAME RED<br>HIGH GLOSS | RAL 3002<br>RED         | RAL 3003<br>RUBY RED                     | RAL 5002<br>ULTRAMARINE<br>BLUE | RAL 5003<br>SAPPHIRE BLUE | RAL 5005<br>SIGNAL BLUE  |
| RAL 5010<br>GENTIAN BLUE                | RAL 5011<br>STEEL BLUE              | RAL 5015<br>SKY BLUE      | RAL 5017<br>TRAFFIC BLUE<br>HIGH GLOSS   | RAL 5019<br>CAPRI BLUE                       | RAL 5021<br>WATER BLUE                  | RAL 6005<br>GREEN       | RAL 6014<br>YELLOW OLIVE                 | RAL 6029<br>MINT GREEN          | RAL 6018<br>YELLOW GREEN  | RAL 7004<br>SIGNAL GREY  |
| RAL 7006<br>BEIGE GREY                  | RAL 7010 ***<br>GREY<br>SANDTEXTURE | RAL 7012<br>BASALT GREY   | RAL 7016<br>ANTHRACITE<br>GREY           | RAL 7030<br>STONE GREY                       | RAL 7032<br>PEBBLE GREY                 | RAL 7035<br>LT GREY     | RAL 7037 ***<br>DUSTY GREY<br>SEMI GLOSS | RAL 7039<br>QUARTZ GREY         | RAL 7040<br>GREY          | RAL 7043<br>TRAFFIC GREY |
| RAL 7044 ***<br>GREY PRIME<br>MATTE     | RAL 7045<br>TELEGRAY                | RAL 7046<br>TELEGRAY 2    | RAL 7047<br>TELEGRAY 4                   | RAL 8017<br>CHOCOLATE<br>BROWN               | RAL 8019<br>GREY BROWN                  | RAL 8028<br>TERRA BROWN | RAL 9001<br>CREAM                        | RAL 9002<br>GREY WHITE          |                           |                          |
| RAL 9005 ***<br>JET BLACK<br>SEMI GLOSS | RAL 9003<br>SIGNAL WHITE            | RAL 9016<br>TRAFFIC WHITE |                                          |                                              |                                         |                         |                                          |                                 |                           |                          |

**UNLESS NOTED \*\*\* STANDARD PAINT FINISH IS GLOSS  
FOR 100% COLOR VERIFICATION REQUEST A PAINT CHIP**

## Metals



Stainless Steel  
304 #4 (satin)


Stainless Steel  
316 #4 (satin)

Stainless Steel  
5WL (RIGIDIZED)

Stainless Steel  
Blackened

Stainless Steel  
304 #8 (mirror)

Stainless Steel  
Non Directional  
Vortex (RIMEX)



97301  
Bronze Muntz #4

97303  
Bronze Muntz #4  
Light Oxidize

97304  
Bronze Muntz #4  
Dark Oxidize

Galvanized

## Sill Construction

